

CERTIFICATE OF ANALYSIS

Product Name	Apamin	
Cat No	RP11002	
Lot No.	E6159321L	
Sequence	CNCKAPETALCARRCQQH	
Modification	NH ₂ Disulfide Bridge Cys ¹ -Cys ¹¹ and Cys ³ -Cys ¹⁵	
Length	18AA	
Size	0.5mg	
Storage	-20°C	
Recommended Solvent*	Ultrapure water	
Comments	TFA salt	

Test Items	Specifications	Results
Molecular Weight	Theoretical MW: 2027.30	Consistent
HPLC purity	≥95.0%	≥95.0%
Appearance	White lyophilized powder	Conforms

 $^{{}^*\}text{Note}$: Above recommended solvents for reference only. If there is any request for detailed dissolution conditions,we suggest you choose our 'Peptide Solubility Test Service'.

Caution

For laboratory or further manufacturing use only. Not intended for household use. If you have any questions about the Certificate of Analysis, please contact our customer service representative at 1-877-436-7274 (Toll-Free), or 1-732-885-9188.

Sharshar Wei
Certified by: Date:12/23/2021

Thank you for your patronage to our Peptide services! To maintain this working relationship, we shall be grateful if you can add our webpage URL into your lab website. As a token of appreciation, you will be rewarded by $_{1,000}$ EZCOUPON POINTS. For more information, please contact us by e-mail at web@genscript.com

Toll-Free: 1-877-436-7274 Tel: 1-732-885-9188 Fax: 1-732-210-0262 Email: order @genscript.com Web: www.genscript.com

860 Centennial Ave., Piscataway, NJ 08854, USA