

CERTIFICATE OF ANALYSIS

Product Information

Product Name	CHO-K1/PTAFR
Cat. No.	M00262
Lot No.	R10052001-3
Host Cell:	CHO-K1
Target Gene:	PTAFR
Quantity:	2 vials of frozen cells, > 1x10 ⁶ cells/vial
Shipping Condition:	Dry Ice
Recommended Storage Condition:	Liquid Nitrogen

Stable Cell Line Information

Recommended Cell Culture Medium: Ham's F12, 10% FBS, 200 µg/ml Zeocin

Freeze Medium: 45% culture medium, 45% FBS, 10% DMSO


Application: Calcium Flux assay on PTAF receptor.

Test Item	Specification	Result
Mycoplasma	Not detected*	Not detected*
Cell viability	>90%	95%
Function assay	Calcium Flux assay	EC ₅₀ =1.329x10 ⁻⁷ M

* The mycoplasma test was performed with MycoAlert™ PLUS Mycoplasma Detection Kit of Lonza.

Appendix

Calcium Flux assay



PAF(C16) induced concentration-dependent stimulation of intracellular calcium mobilization in CHO-K1/PTAFR cells, $EC_{50} = 1.329 \times 10^{-7}$ M.

Caution

For research use only. Not intended for household use. If you have any questions about the Certificate of Analysis, please contact our customer service representative at 1-877-436-7274 (Toll-Free), or 1-732-885-9188.

Certified by: *Dan Jiang* Date: 07/23/2020
Department of New Technology