



3300+科研抗体

加速科学领域精准检测

CONTENTS

标签与内参抗体 P 01

标签抗体 P 01

内参抗体 P 03

经典信号通路抗体 P 05

TGF- β 信号通路 P 05

PI3K/Akt 信号通路 P 07

NF- κ B 信号通路 P 09

Wnt 信号通路 P 11

MAPK 信号通路 P 12

EMT 信号通路 P 15

p53 信号通路 P 15

EGFR 信号通路 P 17

Notch 信号通路 P 18

JAK/STAT 信号通路 P 19

TREM2 信号通路 P 20

Hedgehog 信号通路 P 21

Hippo 信号通路 P 21

表观遗传学 P 22

其他抗体 P 23

GTP 酶抗体 P 23

同型抗体 P 24

其他抗体 P 24

一抗产品

金斯瑞拥有先进的抗体表达平台，开发了一系列高质量抗体，涵盖标签抗体，内参抗体，同型对照抗体，组蛋白抗体以及种类丰富的经典信号通路抗体等3300+产品。经多平台严格验证，具有出色的特异性和灵敏度。



3300+种现货抗体
快速发货，无需等待



7大应用全面验证
WB / ELISA / FITC / FCM
等，数据可靠，实验无忧



20+标签抗体一应俱全
主流标签全覆盖，满足多
样化检测与纯化场景



13+核心信号通路覆盖
从凋亡到增殖，从炎症到
代谢，精准靶向研究热点

标签与内参抗体

金斯瑞提供种类齐全的标志和内参抗体，涵盖常见的6-His、HA、c-Myc、GST、Flag-tag等标志抗体，以及GAPDH、Tubulin、Beta Actin等常用内参抗体，适用于融合蛋白鉴定等实验。此外，金斯瑞还提供多种同型对照抗体，为您的科研保驾护航。

标签抗体类别

Avi Tag	DYKDDDDK Tag	SNAP Tag	His Tag	B Tag	E Tag
MBP Tag	SUMO Tag	Biotin Tag	Fc tag	NWSHPQFEK Tag	Trx Tag
CBP Tag	GFP Tag	Protein C Tag	Ty1 Tag	c-Myc Tag	GST Tag
RFP Tag	V5 Tag	cGFP Tag	HA Tag	S1 Tag	VSV-G Tag

产品清单（节选）

靶标	目录号	产品名称	应用
DYKDDDDK Tag	A00187	THE™ DYKDDDDK Tag Antibody, mAb, Mouse	WB,ICC/IF,IP,FCM,ELISA
	A01428	THE™ DYKDDDDK Tag Antibody [HRP], mAb, Mouse	WB,ELISA
	A01429	THE™ DYKDDDDK Tag Antibody [Biotin], mAb, Mouse	WB,ELISA
	A01632	THE™ DYKDDDDK Tag Antibody [FITC], mAb, Mouse	ICC/IF,FCM
	A01809	THE™ DYKDDDDK Tag Antibody [iFluor 488], mAb, Mouse	ICC/IF,FCM
	A01810	THE™ DYKDDDDK Tag Antibody [iFluor 555], mAb, Mouse	ICC/IF
	A01811	THE™ DYKDDDDK Tag Antibody [iFluor 647], mAb, Mouse	ICC/IF,FCM
	A01868	MonoRab™ DYKDDDDK Tag Antibody, mAb, Rabbit	WB,IP,ELISA
	A01869	MonoRab™ DYKDDDDK Tag Antibody [HRP], mAb, Rabbit	WB,ELISA
	A01870	MonoRab™ DYKDDDDK Tag Antibody [Biotin], mAb, Rabbit	WB,ELISA
His Tag	A01871	MonoRab™ DYKDDDDK Tag Antibody [FITC], mAb, Rabbit	ICC/IF,FCM
	A02364	DYKDDDDK-tag Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A00174	His-tag Antibody, pAb, Rabbit	WB,ELISA
	A00186	THE™ His Tag Antibody, mAb, Mouse	WB,ICC/IF,IP, TR-FRET,FCM,ELISA
	A00205	His-tag antibody [Biotin], pAb, Rabbit	WB
	A00612	THE™ His Tag Antibody [HRP], mAb, Mouse	WB,ELISA
	A00613	THE™ His Tag Antibody [Biotin], mAb, Mouse	WB,ELISA
	A01620	THE™ His Tag Antibody [FITC], mAb, Mouse	ICC/IF,FCM
	A01800	THE™ His Tag Antibody [iFluor 488], mAb, Mouse	ICC/IF,FCM
	A01801	THE™ His Tag Antibody [iFluor 555], mAb, Mouse	ICC/IF
	A01802	THE™ His Tag Antibody [iFluor 647], mAb, Mouse	ICC/IF,FCM
	A01857	MonoRab™ Anti-His Tag (C-term) Antibody(25B6E11), mAb, Rabbit	WB,ICC/IF,IP,FCM,ELISA
	A02003	His tag Antibody (C157), mAb, Mouse	WB,IP,ELISA
	A02247	THE™ His Tag Antibody [PE], mAb, Mouse	ICC/IF,FCM
	A02343	MonoRab™ Anti-His Tag Antibody (22H1), mAb, Rabbit	WB,FCM,ELISA
Biotin Tag	A02248	MonoRab™ Biotin Antibody (53C8) [iFluor 488], mAb, Rabbit	ICC/IF,FCM
	A02249	MonoRab™ Biotin Antibody (53C8) [iFluor 647], mAb, Rabbit	ICC/IF,FCM
	A02250	MonoRab™ Biotin Antibody (53C8) [PE], mAb, Rabbit	ICC/IF,FCM
	A02252	MonoRab™ Biotin Antibody (53C8) [HRP], mAb, Rabbit	WB,ELISA
Fc tag	A01797	Human IgG (Fc) Antibody, mAb, Mouse	WB,ELISA
	A01854	Mouse Anti-Human IgG Fc Antibody (50B4A9)[HRP], mAb	WB,IHC,ELISA
	A02257	Mouse Anti-Human IgG Fc Antibody (50B4A9), mAb	WB,ELISA

产品清单（节选）

靶标	目录号	产品名称	应用
HA Tag	A01244	THE™ HA Tag Antibody, mAb, Mouse	WB,ICC/IF,IP,FCM,ELISA
	A01296	THE™ HA Tag Antibody [HRP], mAb, Mouse	WB,ELISA
	A01621	THE™ HA Tag Antibody [FITC], mAb, Mouse	ICC/IF,FCM
	A01806	THE™ HA Tag Antibody [iFluor 488], mAb, Mouse	ICC/IF,FCM
	A01808	THE™ HA Tag Antibody [iFluor 647], mAb, Mouse	ICC/IF,FCM
	A01963	MonoRab™ HA tag Antibody(109B2), mAb, Rabbit	WB,ICC/IF,ELISA
	A02002	MonoRab™ HA tag Antibody(109B2)[Biotin], mAb, Rabbit	WB,ELISA
	A02362	HA-tag Antibody, mAb, Rabbit	WB
...	...	...	...

更多产品请扫描尾页二维码

内参抗体类别

Actin	alpha Actin	beta Actin	alpha Tubulin	beta Tubulin	GAPDH
Hsp60	Lamin B1	Lamin B2	Lamin A/C	COX IV	Histone H3
Vinculin	Transferrin	HDAC1	YY1	TBP	VDAC1
PCNA	Cyclophilin B	Cofilin			

产品清单（节选）

靶标	目录号	产品名称	应用
Actin	A02689	Actin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
alpha Actin	A02365	alpha Skeletal muscle actin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02407	alpha Smooth muscle actin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02562	alpha Skeletal muscle actin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03526	alpha Skeletal muscle actin Antibody, mAb, Rabbit	WB;IP
	A03527	alpha Skeletal muscle actin Antibody, mAb, Rabbit	WB;ICC/IF;FCM
	A00702	THE™ beta Actin Antibody, mAb, Mouse	WB;ELISA
beta Actin	A00730	THE™ beta Actin Antibody [HRP], mAb, Mouse	WB;ELISA
	A01865	MonoRab™ Beta Actin Antibody, mAb, Rabbit	WB;ELISA
	A02366	beta Actin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF

产品清单（节选）

靶标	目录号	产品名称	应用
alpha Tubulin	A01410	THE™ alpha Tubulin Antibody, mAb, Mouse	WB;ICC/IF;ELISA
	A02379	alpha Tubulin Antibody, mAb, Rabbit	WB
	A02377	alpha 4A Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02378	alpha 4A Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02834	alpha 1B/4A Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
beta Tubulin	A01717	β-tubulin Antibody (2G7D4), mAb, Mouse	WB;IHC;FCM
	A02369	beta Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02370	beta I Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02371	beta III Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02372	beta Tubulin Antibody, mAb, Rabbit	WB;IHC;IP
	A02373	beta III Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02386	beta Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02784	beta 4B/2A/2B Tubulin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
GAPDH	A02367	GAPDH Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02368	GAPDH Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
...	...	...	...

更多产品请扫描尾页二维码

经典信号通路

信号通路是指细胞内外信号传递的一系列生化反应链，常见的信号通路包括TGF-β、NF-κB、MAPK、PI3K/AKT和Wnt等通路。每条通路由特定的信号分子和效应蛋白组成，能够调控细胞的增殖、分化、存活和代谢等基本功能。信号通路的精确调控对维持正常的生理功能至关重要，其异常可能导致癌症、自身免疫疾病等多种病理状态。

信号通路靶点

TGF-β	PI3K/Akt	NF-κB	Wnt	MAPK-ERK	MAPK-JNK/p38	EMT
p53	EGFR	Notch	JAK/STAT	TREM2	Hedgehog	Hippo

TGF-β 信号通路

TGF-β信号通路在细胞增殖、分化、凋亡和免疫调节中起关键作用，其通过调节基因表达来影响细胞行为，在组织修复、胚胎发育以及癌症进展等生物过程中发挥重要作用。

TGF-β 靶标

TGF-β	TGFBI	ACVR1	Smurf2	Endoglin
SMAD1	SMAD2	SMAD3	SMAD4	SMAD5
MIS-R2	SARA	BMP4	BMP6	BMP7

产品清单（节选）

靶标	目录号	产品名称	应用
TGF-β	A03420	TGF beta 1 Antibody, mAb, Rabbit	WB
TGFBI	A02406	TGFBI Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
ACVR1	A04627	Activin receptor type 1 Antibody, mAb, Rabbit	WB;IP
SMAD1	A03254	SMAD1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02688	SMAD1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
SMAD2	A02498	SMAD2 Antibody, mAb, Rabbit	WB;ICC/IF;FCM
	A02975	SMAD2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03239	p-SMAD2 (S250) Antibody, mAb, Rabbit	WB; FCM
	A03241	p-SMAD2 (S255) Antibody, mAb, Rabbit	WB; IHC; IP

产品清单（节选）

靶标	目录号	产品名称	应用
SMAD3	A02424	SMAD3 Antibody, mAb, Rabbit	WB; IHC; ICC/IF;IHF;FCM
	A02546	p-SMAD3 (S423/S425) Antibody, mAb, Rabbit	WB; IHC; ICC/IF;IHF
SMAD4	A02425	SMAD4 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02611	SMAD5 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
SMAD5	A02525	p-SMAD5 (S463/S465) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A03232	p-SMAD1/5/9 (S463/S465/S467) Antibody, mAb, Rabbit	WB
BMP4	A02590	BMP4 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
BMP6	A04830	BMP6 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
BMP7	A03550	BMP7 Antibody, mAb, Rabbit	WB; IP
...	...	...	...

更多产品请扫描尾页二维码

PI3K/Akt 信号通路

PI3K/Akt信号通路通过激活Akt激酶影响多种下游效应分子，调节细胞生存、增殖、代谢和生长等过程，在癌症、糖尿病等疾病发展中具有重要意义。

PI3K/Akt 靶标

PI3K	AKT	PTEN	mTOR	Raptor	RHEB	Tuberin
IRS	PDK1	p70 S6K	GDK3 β	AS160	4E BP1	14-3-3
CREB1	FOXO3	Hamartin	ULK1	AKT1S1		

产品清单（节选）

靶标	目录号	产品名称	应用
PI3K	A03724	PI3 kinase p85 alpha Antibody, mAb, Rabbit	WB; ICC/IF
	A02914	PI3 kinase p85 beta Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
AKT	A02933	AKT1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03352	AKT1/2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
	A02808	AKT Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03306	p-AKT1 (S124) Antibody, mAb, Rabbit	WB; IP
	A03288	p-AKT1 (S129) Antibody, mAb, Rabbit	WB
	A03266	p-AKT1 (T450) Antibody, mAb, Rabbit	WB; IHC; IP
	A03382	p-AKT1 (S473) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A02628	PTEN Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
PTEN	A03231	p-PTEN (S380) Antibody, mAb, Rabbit	WB; ICC/IF
mTOR	A02700	mTOR Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03384	p-mTOR (S2448) Antibody, mAb, Rabbit	WB; IHC
	A03375	p-mTOR (S2481) Antibody, mAb, Rabbit	WB
Tuberin	A02983	Tuberin Antibody, mAb, Rabbit	WB; IHC; FCM
	A05242	p-Tuberin (S939) Antibody, mAb, Rabbit	WB
	A05047	p-Tuberin (T1462) Antibody, mAb, Rabbit	WB; IHC
p70 S6K	A02759	p70 S6 Kinase Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02655	p-p70 S6 Kinase (T421/S424) Antibody, mAb, Rabbit	WB; IP
GDK3 β	A02409	GSK 3 beta Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
	A03380	p-GSK3 alpha/beta (Y279/Y216) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03396	4E BP1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
4E BP1	A05100	p-4E BP1/2/3 (T46/T46/T32) Antibody, mAb, Rabbit	WB; IHC
	A05095	p-4E BP1 (T70) Antibody, mAb, Rabbit	WB

产品清单（节选）

靶标	目录号	产品名称	应用
CREB1	A02452	p-CREB1 (S133) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02809	CREB1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
FOXO3	A03279	FOXO3A Antibody, mAb, Rabbit	WB; ICC/IF
	A02487	FOXO3A Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A02944	p-FOXO3A (S253) Antibody, mAb, Rabbit	WB; IHC
ULK1	A03711	ULK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A02817	p-ULK1 (S556) Antibody, mAb, Rabbit	WB; ICC/IF
AKT1S1	A03862	AKT1S1 Antibody, mAb, Rabbit	WB; IP
	A03713	AKT1S1 Antibody, mAb, Rabbit	WB; IHC; IP; FCM
	A05237	p-AKT1S1 (T246) Antibody, mAb, Rabbit	WB
...	...	...	...

更多产品请扫描尾页二维码

NF-κB 信号通路

NF-κB信号通路通过控制炎症因子、细胞因子和抗凋亡基因的表达，帮助细胞应对感染和应激。NF-κB通路与炎症性疾病、自身免疫疾病和癌症等多种疾病的发展密切相关。

NF-κB 信号通路靶标

NF-κB p65	NF-κB p50	NF-κB p52	IKKα	IKKβ
IKKα/β	IKKγ	IκB	TNFAIP3	c Rel
FADD	IL1β	IL8	MyD88	TBK1
RelB	N-cadherin	Vimentin	ZEB1	Fibronectin
Occludin	α-SMA	γ-catenin	S100A4	Mucin

产品清单（节选）

靶标	目录号	产品名称	应用
NF-κB p65	A02444	NF-κB p65 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02503	p-NF-κB p65 (S529) Antibody, mAb, Rabbit	WB; IP; FCM
NF-κB p50	A02449	NF-κB p50 Antibody, mAb, Rabbit	WB; IHC
NF-κB p52	A03940	NF-κB p52 Antibody, mAb, Rabbit	WB; ICC/IF; IP
IKKα	A03118	IKK alpha Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
IKKβ	A03419	IKK beta Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
IKKα/β	A03043	IKK alpha/beta Antibody, mAb, Rabbit	WB; ICC/IF; IP
IKKγ	A03653	IKK gamma Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
IκB	A02437	IκB alpha Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A05127	p-IκB alpha (Y42) Antibody, mAb, Rabbit	WB
	A04053	p-IκB alpha (S36) Antibody, mAb, Rabbit	WB; FCM
	A02954	p-IκB alpha (S32) Antibody, mAb, Rabbit	WB; IP
	A03058	IκB beta Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03926	IκB epsilon Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
FADD	A03933	FADD Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03936	FADD Antibody, mAb, Rabbit	WB; IHC; FCM
IL1β	A02495	IL 1 beta Antibody, mAb, Rabbit	WB; IP; FCM
	A03342	IL 1 beta Antibody, mAb, Rabbit	WB
IL8	A05048	IL 8 Antibody, mAb, Rabbit	WB
MyD88	A03064	MyD88 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM

产品清单（节选）

靶标	目录号	产品名称	应用
TBK1	A02551	TBK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A04545	p-TBK1 (S172) Antibody, mAb, Rabbit	WB; IP
Fibronectin	A03004	Fibronectin Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A05163	Fibronectin Antibody, mAb, Rabbit	WB; ICC/IF; FCM
...	...	...	...

更多产品请扫描尾页二维码

Wnt 信号通路

Wnt信号通路是一个高度保守且复杂的信号转导网络，在胚胎发育，组织再生，迁移等多种生物过程中发挥着重要作用。Wnt信号通路的异常与癌症，阿尔兹海默症等疾病密切相关。

Wnt 信号通路靶标

β -catenin	Wnt	LRP5/6	APC
Axin	GSK-3 β	LEF1	DKK
SFRP	RYK	ROR2	Pygo
Brg1	SMAD4	PLC	SKP1

产品清单（节选）

靶标	目录号	产品名称	应用
β -catenin	A02410	beta Catenin Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03353	p-beta Catenin (S33/S37) Antibody, mAb, Rabbit	WB
	A05239	p-beta Catenin (T41/S45) Antibody, mAb, Rabbit	WB
Wnt	A02693	Wnt2 Antibody, mAb, Rabbit	WB
	A04349	Wnt2b Antibody, mAb, Rabbit	WB; ICC/IF; FCM
	A03679	Wnt5a Antibody, mAb, Rabbit	WB; ICC/IF; FCM
LRP5/6	A02763	LGR5 Antibody, mAb, Rabbit	WB; IP; FCM
	A04799	LGR6 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
APC	A03024	APC Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
Axin	A03613	Axin 2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
GSK-3 β	A02409	GSK 3 beta Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
	A03381	p-GSK3 beta (S9) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
LEF1	A02744	LEF1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
DKK	A03098	DKK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
SFRP	A03643	FRP 1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
RYK	A04695	RYK Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
ROR2	A04608	ROR2 Antibody, mAb, Rabbit	WB; ICC/IF; FCM
Pygo	A02485	Pygopus 2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
Brg1	A03177	SMARCA4 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; ChIP
SMAD4	A02425	SMAD4 Antibody, mAb, Rabbit	WB; IHC
PLC	A03021	PLCG1 Antibody, mAb, Rabbit	WB; ICC/IF; IP
	A04356	p-PLCG1 (Y1253) Antibody, mAb, Rabbit	WB
SKP1	A03937	SKP1 Antibody, mAb, Rabbit	WB; ICC/IF; FCM

MAPK 信号通路

MAPK(Mitogen Activated Protein Kinase)信号通路包括ERK(Extracellular Signal Regulated Kinase, 细胞外信号调节激酶), JNK和p38 MAPK三大亚家族, 在细胞应对外界刺激, 调控细胞增殖和应激反应等生物学过程中发挥关键作用, 与免疫反应, 炎症性疾病, 癌症, 阿尔兹海默症等疾病密切相关。

ERK 信号通路

ERK 主要通过RTK途径或GPCR途径被激活。活化的 ERK调控细胞增殖、分化和存活等过程。ERK通路的异常激活通常与黑色素瘤和肺癌等有关。

ERK 信号通路靶标

B-Raf	c-Raf	MEK1/2	MEK5
ERK1/2	ERK5	p90 S6K	ELK1
DUSP6	c-Fos	Ras	SOS

产品清单 (节选)

靶标	目录号	产品名称	应用
B-Raf	A02713	B Raf Antibody, mAb, Rabbit	WB; IHC; IP; FCM
	A03341	p-B Raf (T401) Antibody, mAb, Rabbit	WB; ICC/IF; IP
c-Raf	A02623	c Raf Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A03346	p-c Raf (S43) Antibody, mAb, Rabbit	WB
	A03324	p-c Raf (S259) Antibody, mAb, Rabbit	WB; IHC
	A03322	p-c Raf (S621) Antibody, mAb, Rabbit	WB
MEK1/2	A03253	p-MEK1 (T292) Antibody, mAb, Rabbit	WB
	A03236	p-MEK1 (S298) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A02838	MEK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A02451	MEK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03245	MEK2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02569	MEK1/2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
MEK5	A03251	MEK5 Antibody, mAb, Rabbit	WB; ICC/IF
ERK1/2	A02507	ERK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02492	ERK1 Antibody, mAb, Rabbit	WB; IHC
	A02454	ERK2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02869	ERK1/2 Antibody, mAb, Rabbit	WB; ICC/IF; IP; FCM

产品清单（节选）

靶标	目录号	产品名称	应用
ERK1/2	A03972	p-ERK1/2 (T202/T185) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A02671	p-ERK1 (T202/Y204)/ERK2 (T185/Y187) Antibody, mAb, Rabbit	WB; IP; ICC/IF
	A02453	p-ERK1 (T202/Y204)/ERK2 (T185/Y187) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
ERK5	A03250	ERK5 Antibody, mAb, Rabbit	WB; ICC/IF; IP; FCM
p90 S6K	A05148	p90 S6K alpha 1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A05170	p-p90 S6K alpha 1 (T573) Antibody, mAb, Rabbit	WB; ICC/IF
	A02952	p-p90 S6K alpha 1 (S380) Antibody, mAb, Rabbit	WB; ICC/IF; IP
	A02738	p-p90 S6K alpha 1 (T359/S363) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A05483	p90 S6K alpha 3 Antibody, mAb, Rabbit	WB; IHC; FCM
...	...	...	...

更多产品请扫描尾页二维码

► JNK 信号通路

JNK 参与调控细胞凋亡、分化和应激反应相关的基因表达。JNK 信号通路的激活与神经退行性疾病、炎症性疾病和肿瘤等疾病密切相关。

JNK 信号通路靶标

JNK	c-Jun	ATF2	MKK7
ASK1	TRADD	DAXX	

产品清单

靶标	目录号	产品名称	应用
JNK	A05468	JNK1 Antibody, mAb, Rabbit	WB
	A03006	JNK2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03287	JNK3 Antibody, mAb, Rabbit	WB; ICC/IF; FCM
	A02872	JNK1/2/3 Antibody, mAb, Rabbit	WB; ICC/IF; IP
	A02923	p-JNK1/2/3 (T183/T183/T221) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
c-Jun	A02684	c Jun Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03389	p-c Jun (S63) Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A04146	p-c Jun/JunD (S73/S100) Antibody, mAb, Rabbit	WB; IHC; IP
ATF2	A02447	ATF2 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03010	p-ATF2 (T71) Antibody, mAb, Rabbit	WB; ICC/IF; IP

产品清单

靶标	目录号	产品名称	应用
MKK7	A03252	MEK7 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
ASK1	A02739	ASK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
TRADD	A03921	TRADD Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
DAXX	A02968	DAXX Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM

p38 信号通路

p38 信号通路是受炎症介质、氧化应激、紫外线等的刺激。p38 除了调控 TNF- α 、I- 1β 等细胞因子的表达外，还参与细胞分化、凋亡、增殖和衰老过程。P38通路对免疫反应、炎症性疾病、自身免疫性疾病以及癌症中有重要影响。

产品清单

靶标	目录号	产品名称	应用
p38 MAPK	A02982	p38 MAPK Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF
	A02656	p38 MAPK Antibody, mAb, Rabbit	WB; ICC/IF; IP; ChIP; FCM
	A04298	p-p38 MAPK (T180) Antibody, mAb, Rabbit	WB; IHC
MK2	A04708	MK2 Antibody, mAb, Rabbit	WB
	A04186	MK2 Antibody, mAb, Rabbit	WB; IP
TAK1	A03865	TAK1 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
	A05069	p-TAK1 (S439) Antibody, mAb, Rabbit	WB; IP
Hsp27	A03314	Hsp27 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A03084	p-Hsp27 (S82) Antibody, mAb, Rabbit	WB; IP
MyD88	A03064	MyD88 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM

EMT 信号通路

上皮-间质转化（EMT）是一种细胞在丧失上皮特征并获得间质特征的动态过程，与胚胎发育，组织修复，纤维化和肿瘤转移等过程密切相关。

产品清单

靶标	目录号	产品名称	应用
β-catenin	A02410	beta Catenin Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP
	A03353	p-beta Catenin (S33/S37) Antibody, mAb, Rabbit	WB
	A05239	p-beta Catenin (T41/S45) Antibody, mAb, Rabbit	WB
E-cadherin	A02682	Cadherin Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; IP; FCM
	A02408	E Cadherin Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
MMP	A02603	MMP9 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF; FCM
	A03971	MMP2 Antibody, mAb, Rabbit	WB; ICC/IF; FCM
	A02588	MMP3 Antibody, mAb, Rabbit	WB; IHC; ICC/IF; IHF

p53 信号通路

P53信号通路主要作用是保护细胞免受DNA损伤和其他压力因素的影响，调节包括细胞凋亡，生长抑制，加速DNA修复等多种反应。P53信号通路功能的缺失或异常与癌症等疾病密切相关，在癌症研究中起到重要作用。

p53 信号通路靶标

p53	BAX	Bcl 2	APAF
BID	Chk1	Chk2	ATM
NRF2	MDM2	CDK7	HIPK2
PML	PERP	FAS	DR5

产品清单（节选）

靶标	目录号	产品名称	应用
p53	A02456	p53 Antibody, mAb, Rabbit	WB; ICC/IF; IP; FCM
	A02491	p-p53 (S33) Antibody, mAb, Rabbit	WB; ICC/IF
	A02499	p-p53 (S9) Antibody, mAb, Rabbit	WB

产品清单（节选）

靶标	目录号	产品名称	应用
p53	A02537	p53 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02609	p-p53 (S392) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02847	p53 Antibody, mAb, Rabbit	WB;ICC/IF
	A02852	Acetyl-p53 (K370) Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A02873	p-p53 (T55) Antibody, mAb, Rabbit	WB
	A02874	p-p53 (S376) Antibody, mAb, Rabbit	WB
	A02921	Acetyl-p53 (K382) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A03470	TP53BP2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A03641	TP53BP1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A04497	p53 DINP1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
Bcl 2	A02442	Bcl 2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02459	Bcl 2 L1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02835	Bcl 2 L1 Antibody, mAb, Rabbit	WB;IHC;IP
	A02964	Bcl 2 A1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A03528	Bcl 2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A04237	Bcl 2 modifying factor Antibody, mAb, Rabbit	WB;FCM
	A05039	Bcl 2 L15 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A05192	Bcl 2 L12 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
Chk1	A05302	Bcl 2 L14 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02471	Chk1 Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A03002	Chk1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A05121	p-Chk1 (S280) Antibody, mAb, Rabbit	WB
Chk2	A03060	p-Chk1 (S296) Antibody, mAb, Rabbit	WB
	A05029	p-Chk2 (T68) Antibody, mAb, Rabbit	WB;IP
	A03016	Chk2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
ATM	A05203	p-Chk2 (S33/S35) Antibody, mAb, Rabbit	WB
	A02518	p-ATM (S1981) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02605	ATM Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
...	A04036	ATM Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	...	...	...

更多产品请扫描尾页二维码

EGFR 信号通路

表皮生长因子受体（EGFR）是一种受体酪氨酸激酶。EGFR通路在调控细胞生长、增殖和分化过程中起着重要作用，尤其是在癌症中扮演重要角色。此外，还与银屑病和纤维化疾病等其他疾病密切相关。

产品清单

靶标	目录号	产品名称	应用
EGFR	A02472	EGFR Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	A02519	EGFR Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02629	p-EGFR (Y1092) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02978	p-EGFR (Y1110) Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A02996	p-EGFR (Y1197) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A03148	p-EGFR (S695) Antibody, mAb, Rabbit	WB;ICC/IF
	A03223	p-EGFR (Y1092) Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	A05022	EGFR (L858R mutated) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A05099	p-EGFR (Y869) Antibody, mAb, Rabbit	WB;ICC/IF
ErbB	A02439	ErbB4 Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	A02608	ErbB2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02664	ErbB3 Antibody, mAb, Rabbit	WB;IP
	A03187	ErbB4 Antibody, mAb, Rabbit	WB
	A05050	p-ErbB2 (Y1221/Y1222) Antibody, mAb, Rabbit	WB
	A05183	p-ErbB3 (Y1289) Antibody, mAb, Rabbit	WB
	A05199	p-ErbB3 (Y1222) Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A05389	p-ErbB2 (Y1139) Antibody, mAb, Rabbit	WB;IP
TGF alpha	A04443	TGF alpha Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
NRG3	A05166	NRG3 Antibody, mAb, Rabbit	WB;FCM

Notch 信号通路

Notch信号通路在调节细胞命运，组织发育和多细胞生物体的组织稳态方面发挥着重要作用。Notch信号通路的异常激活或抑制与多种癌症、心血管疾病和神经退行性疾病有关，是药物开发的重要靶点。

Notch 信号通路靶标

Notch	JAG1	JAG2	RBPJ
HES1	HES5	NUMB	ITCH
ADAM	PEN	KAT2B	CtBP1
CtBP2	Furin	TLE1	HDAC

产品清单

靶标	目录号	产品名称	应用
Notch	A02640	Notch 1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
JAG1	A03109	Jagged 1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
JAG2	A04600	Jagged 2 Antibody, mAb, Rabbit	WB
RBPJ	A04358	RBPJ Antibody, mAb, Rabbit	WB;ICC/IF
HES1	A03032	HES1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
HES5	A04453	HES5 Antibody, mAb, Rabbit	WB;IHC;IP
NUMB	A03498	NUMB Antibody, mAb, Rabbit	WB
ITCH	A03766	ITCH Antibody, mAb, Rabbit	WB
	A04684	ITCH Antibody, mAb, Rabbit	WB;IHC
ADAM	A03509	ADAM 17 Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
PEN	A04942	PEN 2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
KAT2B	A04535	KAT2B Antibody, mAb, Rabbit	WB;IP;FCM
CtBP1	A04795	CtBP1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
CtBP2	A05318	CtBP2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
Furin	A04414	Furin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
TLE1	A04951	TLE1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
HDAC	A02560	HDAC1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02470	HDAC2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03269	HDAC2 Antibody, mAb, Rabbit	WB;IP;ChIP

JAK/STAT 信号通路

JAK/STAT信号通路是由细胞因子刺激激活的信号转导通路，参与细胞生长，分化，凋亡以及免疫调节等生理过程。JAK/STAT信号通路的失调与多种肿瘤以及自身免疫性疾病的发病机制密切相关。

产品清单

靶标	目录号	产品名称	应用
JAK	A02681	JAK2 Antibody, mAb, Rabbit	WB;ICC/IF;IP
	A03383	p-JAK2 (Y1007/Y1008) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03825	JAK3 Antibody, mAb, Rabbit	WB;ICC/IF
	A03980	JAK1 Antibody, mAb, Rabbit	WB
	A05396	p-JAK1 (Y1034/Y1035) Antibody, mAb, Rabbit	WB;IHC
STAT	A02427	STAT3 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02464	STAT5A Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A02566	STAT3 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02571	STAT6 Antibody, mAb, Rabbit	WB;ICC/IF;FCM
	A02625	STAT1 Antibody, mAb, Rabbit	WB;IP;FCM
	A02685	p-STAT3 (S727) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02686	STAT3 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02745	STAT6 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02951	p-STAT5A (Y694) Antibody, mAb, Rabbit	WB;IHC
	A03085	p-STAT1 (S727) Antibody, mAb, Rabbit	WB;IHC
	A03243	STAT1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03248	STAT2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A03249	STAT4 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03256	STAT5A/B Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03262	STAT5B Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A03297	p-STAT1 (Y701) Antibody, mAb, Rabbit	WB
	A03379	p-STAT3 (Y705) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP

TREM2 信号通路

骨髓细胞2表达的触发受体（TREM2）是一个重要的病理诱导免疫信号中枢，在多种神经退行性疾病如阿尔茨海默病中发挥重要作用。

TREM2 信号通路靶标

GRB2	SOS1	Ras	Src
Syk	VAV2/3	Cdc42/Rac1	BIN1
DAP12	ADAM 17	ADAM 10	CD33

产品清单（节选）

靶标	目录号	产品名称	应用
GRB2	A03965	GRB2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A05164	GRB2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
Ras	A02931	Ras Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	A03484	Ras Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
Src	A02841	Src Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02850	p-Src (Y419) Antibody, mAb, Rabbit	WB;FCM
	A03029	Src substrate cortactin Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03417	Src Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A05067	p-Src (Y529) Antibody, mAb, Rabbit	WB;ICC/IF
VAV2/3	A03095	VAV2 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A04187	VAV3 Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
BIN1	A02565	BIN1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02677	BIN1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
...	...	...	...

更多产品请扫描尾页二维码

Hedgehog 信号通路

Hedgehog (Hh) 通路是正常胚胎发育所必需的，在成人组织维持、更新和再生过程中起到关键作用。此外异常 Hedgehog 信号转导还会引发多种癌症。

产品清单

靶标	目录号	产品名称	应用
Sonic hedgehog protein	A02481	Sonic hedgehog protein Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
GLI1	A03152	GLI1 Antibody, mAb, Rabbit	WB
GLI3	A04666	GLI3 Antibody, mAb, Rabbit	WB;ICC/IF

Hippo 信号通路

Hippo信号转导是一条保守的通路，通过调控细胞增殖、凋亡及干细胞自我更新来控制器官大小，近年来的研究显示其在癌症发生、组织再生以及干细胞的功能调控上发挥着重要的作用。

产品清单

靶标	目录号	产品名称	应用
MST	A04749	MST1 Antibody, mAb, Rabbit	WB;IHC;FCM
YAP	A02773	YAP1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM
	A03126	p-YAP1 (S127) Antibody, mAb, Rabbit	WB;IHC
TEAD	A04456	TEAD1/2/3/4 Antibody, mAb, Rabbit	WB
	A05079	TEAD1 Antibody, mAb, Rabbit	WB;IHC;IP
	A05214	TEAD1 Antibody, mAb, Rabbit	WB;ICC/IF
Merlin	A03759	Merlin Antibody, mAb, Rabbit	WB;IP
RASSF1	A03804	RASSF1 Antibody, mAb, Rabbit	WB;IHC
RASSF2	A05532	RASSF2 Antibody, mAb, Rabbit	WB

表观遗传学

表观遗传学调控真核基因表达，与肿瘤，神经退行性疾病，自身免疫性疾病等密切相关。组蛋白修饰是调控表观遗传学的关键，通过甲基化、乙酰化等修饰改变染色质结构，从而影响基因的表达，是生命科学研究领域的热点。

产品清单（节选）

靶标	目录号	产品名称	应用
组蛋白/修饰 化组蛋白	A02399	Histone H3 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02511	p-Histone H3.3 (T3) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02517	p-Histone H3.3 (S22) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02530	DiMethyl-Histone H3 (K5) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;ChIP;FCM
	A02580	Acetyl-Histone H3 (K57) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02583	p-Histone H3 (S11) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02619	MonoMethyl-Histone H3 (R18) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02663	Histone H2A.X Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02666	Acetyl-Histone H3 (K15) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02676	Acetyl-Histone H4 (K17) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
	A02707	Acetyl-Histone H4 (K6) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP
	A02854	Acetyl-Histone H2A (K9) Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF
	A02855	MonoMethyl-Histone H3 (R129) Antibody, mAb, Rabbit	WB
	A02856	Hydroxyl-Histone H2A (Y39) Antibody, mAb, Rabbit	WB;IHC
	A02857	p-Histone H2A (S129) Antibody, mAb, Rabbit	WB
	A02858	MonoMethyl-Histone H4 (K17) Antibody, mAb, Rabbit	WB;ICC/IF
	...	...	...

更多产品请扫描尾页二维码

其他抗体

GPT 酶抗体

GTP酶是一类能够结合和裂解GTP的水解酶，GTP酶及其调节因子作为分子开关，在许多细胞生命活动以及疾病特别癌症和发育疾病中发挥着关键作用。

产品清单

靶标	目录号	产品名称	应用
ARF1	A03176	ARF1 Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;FCM
ARF5	A05233	ARF5 Antibody, mAb, Rabbit	WB;FCM
CDC42	A03321	CDC42EP1 Antibody, mAb, Rabbit	WB
	A03331	CDC42 Antibody, mAb, Rabbit	WB;IHC;IP;FCM
p-Cdc42/ Rac1 (S71)	A03338	p-Cdc42/Rac1 (S71) Antibody, mAb, Rabbit	WB
Rac1/2/3	A03612	Rac1/2/3 Antibody, mAb, Rabbit	WB
Rac3	A04543	Rac3 Antibody, mAb, Rabbit	WB;IHC
Ras	A02931	Ras Antibody, mAb, Rabbit	WB;ICC/IF;IP;FCM
	A03484	Ras Antibody, mAb, Rabbit	WB;IHC;ICC/IF;IHF;IP;FCM

同型对照抗体

靶标	目录号	产品名称	应用
Isotype Control	A01007	Mouse IgG control (Whole Molecule), Purified	Other Application
	A01008	Rabbit IgG Control (Whole Molecule), Purified	Other Application
	A02000	Mouse IgG2a control (Whole Molecule), Purified	Other Application
	A01730	Mouse IgG2b control (Whole Molecule), Purified	Other Application
	A01011	Mouse IgG1 control (Whole Molecule), Purified	Other Application
	A02022	MonoRab™ Rabbit IgG Control (Whole Molecule), mAb	Other Application
	A02025	MonoRab™ Rabbit IgG Control [PE] (Whole Molecule), mAb	Other Application
	A02026	MonoRab™ Rabbit IgG Control [iFluor 647] (Whole Molecule), mAb	Other Application
	A02028	MonoRab™ Rabbit IgG Control [iFluor 488] (Whole Molecule), mAb	Other Application
	A02387	IgG Isotype Control Antibody, mAb, Rabbit	IHC;ICC/IF;IHF;IP;ChIP;FCM

其他抗体

更多产品请扫描二维码



地址：江苏省南京市江宁科学园雍熙路28号

网址：www.genscript.com.cn

邮箱：product@genscript.com.cn

电话：400-0258686 转 5810

售后电话：400-025-8686-6707



目录产品公众号



目录产品视频号