

CERTIFICATE OF ANALYSIS

Product Information

| Product Name: | dATP (100 mM) ≥99% HPLC |
|--------------------|---|
| Cat. No.: | C01577 |
| Lot No.: | C51051704 |
| CAS No: | 1927-31-7 |
| MW: | 557.20 |
| Size: | 1ml |
| Molecular Formula: | $C_{10}H_{13}N_5Na_3O_{12}P_3$ |
| Storage Condition: | Store at -20 $^\circ C$ to -70 $^\circ C$ |

Quality Control

| Test Items | Specifications | Results |
|---------------------|------------------------|-----------|
| Physical Appearance | Clear Colorless liquid | Conformed |
| Concentration | 100mM±5% | 99mM |
| Purity(HPLC) | ≥99% | 99.8% |
| λ max | 259nm±2nm | 259nm |
| Absorbance Rations | A250/A260 0.75-0.81 | 0.78 |
| (pH7.0) | A280/A260 0.13-0.18 | 0.15 |
| pH(22∼25℃) | 7.0±0.1 | 7.1 |

Caution:

For laboratory use only. Not for household use. If you have any questions about the Certificate of Analysis, please contact our customer service representative at 1-877-436-7274 (Toll-Free), or 1-732-885-9188.

Certified by: Product Department

Jeo li Date: 04/12/2017