

Rev05  
 Update: Jan,07,2025

## DATASHEET

# FGF-basic (146aa), Human

Cat. No.: Z03166

## Product Introduction

<b>Species</b>	Human
<b>Protein Construction</b>	FGF-basic (Pro143-Ser288) Accession # P09038
<b>Purity</b>	> 95% as analyzed by SDS-PAGE
<b>Endotoxin Level</b>	< 0.2 EU/μg of protein by gel clotting method
<b>Biological Activity</b>	ED <sub>50</sub> < 0.25 ng/ml, measured by the cell proliferation assay using 3T3 cells, corresponding to a specific activity of > 4.0 × 10 <sup>6</sup> units/mg.
<b>Expression System</b>	E. coli
<b>Apparent Molecular Weight</b>	~16.4 kDa, on SDS-PAGE under reducing conditions.
<b>Formulation</b>	Lyophilized after extensive dialysis against PBS.
<b>Reconstitution</b>	It is recommended that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute the lyophilized powder in ddH <sub>2</sub> O up to 50 μg/ml.
<b>Storage &amp; Stability</b>	Upon receiving, this product remains stable for up to 6 months at lower than -70°C. Upon reconstitution, the product should be stable for up to 1 week at 4°C or up to 3 months at -20°C. For long term storage it is recommended that a carrier protein (example 0.1% BSA) be added. Avoid repeated freeze-thaw cycles.

## Background

**Target Background :** Fibroblast Growth Factor-basic (FGF-basic), also known as FGF-2, is a pleiotropic cytokine and one of the prototypic members of the heparin-binding FGF family. Like other FGF family members, FGF-basic has the β trefoil structure. In vivo, FGF-basic is produced by a variety of cells, including cardiomyocytes, fibroblasts, and vascular cells. FGF-basic regulates a variety of processes including cell proliferation, differentiation, survival, adhesion, motility, apoptosis, limb formation and wound healing. FGF-basic can be tumorigenic due to its role in angiogenesis and blood vessel remodeling. The angiogenic effects of FGF-basic can produce beneficial cardioprotection during acute heart injury.

**Synonyms :** Fibroblast Growth Factor-basic; FGF-2; BFGF; FGFB; HBGF-2; bFGF; Prostatropin

**For laboratory research use only. Direct human use, including taking orally and injection and clinical use are forbidden.**

Manufacturer: Nanjing GenScript Biotech Co., Ltd. No. 28Yongxi Road, Jiangning District, Nanjing, Jiangsu, China