

Rev03 DATASHEET

Update: Dec,14,2021

SARS-CoV-2 Spike protein (S1, His Tag, CHO-expressed)


Cat. No.: Z03515

Product Introduction


SARS-CoV-2
5/11/3 COV 2
S1 protein (Val16-Arg685) Poly-His Accession # P0DTC2
N-term C-term
> 95% as analyzed by SDS-PAGE
< 0.2 EU/µg of protein by gel clotting method
SARS-CoV-2 Spike protein (S1, His Tag, CHO-expressed) can bind with Human ACE2 (Cat. No.: Z03484) in functional ELISA assay.
СНО
79 kDa
Supplied as a solution in PBS pH 7.4
Please refer to the COA for the specific lot.
Upon receiving, this product remains stable for up to 6 months at -20°C or below. Avoid repeated freeze-thaw cycles.

Examples






- 1: 1 µg of Z03515, reducing (R)
- > 95 % as determined by SDS-PAGE



Immobilized ACE-2 Fc Chimera, Human (Cat. No. Z03484) at 2 μ g/mL can bind SARS-CoV-2 Spike protein (S1, His Tag, CHO-expressed) (Cat. No. Z03515) with a serial dilution. THETM His Tag Antibody [HRP], mAb, Mouse (Cat.No.A00612) is used as a secondary antibody (0.2 μ g/mL).



Lane 1: $1\mu g$ of SARS-CoV-2 Spike protein (S1, His Tag, CHO-expressed), reducing(R)

> 95% as analyzed by SDS-PAGE

Background



Target Background: SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2) also known as 2019-nCoV (2019 Novel Coronavirus) is a virus that causes illnesses ranging from the common cold to severe diseases. SARS-CoV-2 Spike Protein is composed of S1 domain and S2 domain. S1 contains a receptor-binding domain (RBD) that can specifically bind to angiotensin-converting enzyme 2 (ACE2), the receptor on target cells. S protein plays an important role in the induction of neutralizing antibodies and T-cell responses, as well as protective immunity.

Synonyms: SARS-CoV-2 S1 protein; 2019-nCoV S1 protein

For laboratory research use only. Direct human use, including taking orally and injection and clinical use are forbidden.